




REVISIONS				
REV	ECN	DESCRIPTION	DATE	APPROVED
A	5492	RELEASE TO PRODUCTION	10/21/03	
B	5566	REMOVE NOTE	11/4/03	

CONNECTOR DIMS:
 2.1MM ID
 5.5MM OD
 9.5MM LENGTH



NOTICE: This drawing is the property of AMX Corporation. All information contained herein that is not generally known shall be confidential except to the extent the information has been previously established. This drawing may not be copied, reproduced, or used as the basis for manufacture or sale without written permission.

UNLESS OTHERWISE SPECIFIED:
 TOLERANCE ON DECIMAL DIMENSIONS: XX = .010
 XXX = .005
 TOLERANCE ON HOLE DIAMETERS:
 UNDER .250 μ = +/- .005
 .250 TO .500 = +.006 -.005
 OVER .500 = +.008 -.005
 FRACTIONAL DIMENSIONS INCLUDING HOLES: +/- 1/64
 ANGLES: +/- 1.0°
 SURFACE FLATNESS .003 TIR PER LINEAR INCH.
 ALL DIMENSIONS IN INCHES.
DO NOT SCALE THIS DRAWING.

NOTICE: This drawing is the property of AMX Corporation. All information contained herein that is not generally known shall be confidential except to the extent the information has been previously established. This drawing may not be copied, reproduced, or used as the basis for manufacture or sale without written permission.

	REL APPR	REL DATE	REV APPR
DRAWN	DAS	10/16/03	
ENGR SERV	DB	10/21/03	DB
ENGINEER	RDR	10/21/03	PL
PROD ENGR	KZ	10/21/03	KZ
MATL SUP	MD	10/21/03	KL
QUALITY	AK	10/21/03	AK

AMX CORPORATION
 3000 RESEARCH DRIVE
 RICHARDSON, TX 75082

PICTORIAL,
 PS4.4 POWER SUPPLY
 13.5VDC 4.4A, SHOWN USING A
 BARREL PLUG

SIZE	SCALE	DWG. NO.	REV.
B	FULL	95-0423-44	B

95-0423-44-B SHEET 1 OF 1